

GRETCHEN WHITMER
GOVERNOR

# STATE OF MICHIGAN DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

GARY MCDOWELL DIRECTOR

## Notice of Letting and Day of Review of Apportionments

#### MISTEGUAY CREEK INTERCOUNTY DRAIN

(Saginaw, Genesee, and Shiawassee Counties)

#### **NOTICE OF LETTING**

DATE:

June 25, 2019

TIME:

10:00 a.m.

LOCATION:

Albee Township Hall

10645 East Road, Burt, Michigan 48417

Construction bids may be submitted prior to June 25, 2019 only at the office of Spicer Group, Inc., 230 S. Washington Avenue, Saginaw, Michigan 48607. No bids will be accepted at the Spicer Group office after 5 p.m. on June 24, 2019. Bids may be submitted on June 25, 2019 at or prior to 10:00 a.m. at the above location. The Misteguay Creek Intercounty Drain Drainage Board will meet on the above date, time, and location, at which time bids for the maintenance and improvement of the Misteguay Creek Intercounty Drain will be received and then be opened and publicly announced.

The Misteguay Creek Intercounty Drain will be let in three divisions as follows:

Division I is reconstruction of two flap gate structures.

Division II is reconstruction of one flap gate structure and reconstruction of dikes along 2.2 miles of drain.

Division III is improvements to existing Misteguay Structure No. 4 Dam.

All stations are 100 feet apart. The following items will be required and a contract let for the same.

## **DIVISION I - DOWNSTREAM OUTLET REPAIRS**

## **MUNSON DRAIN OUTLET (STA. 276+62)**

| 300  | Lin. Ft. | Dike and Channel Reconstruction                   |  |  |  |
|--|----------|---|--|--|--|
| 1  | Each     | 84" Flap Gate                                     |  |  |  |
| 2  | Each     | 42" Flap Gate                                     |  |  |  |
| 72   | Lin. Ft. | 84" R.C.P. (C-76, CL III)                         |  |  |  |
| 120  | Lin. Ft. | 42" R.C.P. (C-76, CL III)                         |  |  |  |
| 1  | Lump Sum | Concrete Headwalls and Wingwalls (Downstream End) |  |  |  |
| 400  | Sq. Yds. | Miscellaneous Riprap                              |  |  |  |
| DEADT DDANI GUELED JOHN AND AND AND AND AND AND AND AND AND AN |          |   |  |  |  |

#### PEART DRAIN OUTLET (STA. 441+22)

| 300 | Lin. Ft. | Dike and Channel Reconstruction |
|-----|----------|---------------------------------|
| 1   | Each     | 84" Flap Gate                   |

| 2                                  | Each   | 48" Flap Gate  |  |  |  |  |  |
|------------------------------------|--|--|--|--|--|--|--|
| 80                                 | Lin. Ft.                                       | 84" R.C.P. (C-76, CL III)  |  |  |  |  |  |
| 136                                | Lin. Ft.                                       | 48" R.C.P. (C-76, CL III)  |  |  |  |  |  |
| 1                                  | Lump Sum                                       | Concrete Headwalls and Wingwalls (Downstream End)                |  |  |  |  |  |
| 400                                | Sq. Yds.                                       | Miscellaneous Riprap   |  |  |  |  |  |
| MISCEL                             | MISCELLANEOUS ITEMS (Applies to Ali Locations) |  |  |  |  |  |  |
| 1                                  | <b>Lump Sum</b>                                | Seeding, Fertilizing, and Mulching                               |  |  |  |  |  |
| 1                                  | Lump Sum                                       | Cleanup and Restoration  |  |  |  |  |  |
| 1                                  | Lump Sum                                       | Site Clearing  |  |  |  |  |  |
| DIVISIO                            | N II - VERNE                                   | ROAD TO BURT ROAD (STA 493+56 TO STA 610+38)                     |  |  |  |  |  |
| OPEN C                             | HANNEL COL                                     | NSTRUCTION   |  |  |  |  |  |
| 11,830                             | Lin. Ft.                                       | Dike and Channel Reconstruction - Both Sides                     |  |  |  |  |  |
| 1                                  | Lump Sum                                       | Site Clearing - Both Sides                                       |  |  |  |  |  |
| DENSLOW DRAIN OUTLET (STA. 495+03) |  |  |  |  |  |  |  |
| 1                                  | Each   | 84" Flap Gate  |  |  |  |  |  |
| 1                                  | Each   | 66" Flap Gate  |  |  |  |  |  |
| 1                                  | Each   | 48" Flap Gate  |  |  |  |  |  |
| 124                                | Lin. Ft.                                       | 84" R.C.P. (C-76, CL III)  |  |  |  |  |  |
| 124                                | Lin. Ft.                                       | 66" R.C.P. (C-76, CL III)  |  |  |  |  |  |
| 124                                | Lin. Ft.                                       | 48" R.C.P. (C-76, CL III)  |  |  |  |  |  |
| 1                                  | Lump Sum                                       | Concrete Headwalls and Wingwalls (Both Ends)                     |  |  |  |  |  |
| 400                                | Sq. Yds.                                       | Miscellaneous Riprap   |  |  |  |  |  |
| Cresswe                            | ell Road Reloc                                 | <u>ation</u>   |  |  |  |  |  |
| 148                                | Lin. Ft.                                       | 15" R.C.P. (C-76, CL III)  |  |  |  |  |  |
| 40                                 | Lin. Ft.                                       | 15" CMP (Aluminized)   |  |  |  |  |  |
|                                    |  | (2 2/3" x 1/2" Corr., 14 Ga.) Bevel Ends 2 Hor. To 1 Vert.       |  |  |  |  |  |
| 1                                  | Each   | 4' Dia. CB/MH  |  |  |  |  |  |
| 1,100                              | Sq. Yds.                                       | Aggregate Base, 8", 22A  |  |  |  |  |  |
| 500                                | Cu. Yds.                                       | Sand Sub-Base, CIP, Class II                                     |  |  |  |  |  |
| 1                                  | Lump Sum                                       | Miscellaneous Cleanup and Grading                                |  |  |  |  |  |
| 1                                  | Lump Sum                                       | Seeding, Fertilizing, Mulching                                   |  |  |  |  |  |
| <u>CROSS</u>                       |  |  |  |  |  |  |  |
| Crossin                            | g No. 3 - Ferg                                 | us Road Bridge - Sta. 522+68                                     |  |  |  |  |  |
| 1,650                              | Sq. Yds.                                       | Miscellaneous Riprap   |  |  |  |  |  |
| Crossin                            | g No. 4 - Birch                                | Run Road Bridge - Sta. 550+25                                    |  |  |  |  |  |
| 400                                | Sq. Yds.                                       | Miscellaneous Riprap   |  |  |  |  |  |
| SOIL E                             | ROSION AND                                     | SEDIMENT CONTROL   |  |  |  |  |  |
| 500                                | Sq. Yds.                                       | Miscellaneous Riprap   |  |  |  |  |  |
| 4,375                              | Lin. Ft.                                       | Plain Riprap Toe of Slope - Type I (Less than 15 Sq. Ft/Ft)      |  |  |  |  |  |
| 2,525                              | Lin. Ft.                                       | Plain Riprap Toe of Slope - Type II (15 to 30 Sq. Ft/Ft)         |  |  |  |  |  |
| 4,025                              | Lin. Ft.                                       | Plain Riprap Toe of Slope - Type III (Greater than 30 Sq. Ft/Ft) |  |  |  |  |  |
| 2,000                              | Lin. Ft.                                       | Plain Riprap Spillway  |  |  |  |  |  |
| 80                                 | Acres  | Seeding, Fertilizing, and Blown Straw Mulch - On Dike            |  |  |  |  |  |
| 25                                 | Acres  | Seeding, Fertilizing, and Mulch Blankets (S-75) - On Dike        |  |  |  |  |  |
|                                    |  |  |  |  |  |  |  |

| 4                                 | Luman Cuman            | Classic and Bastonett                                |  |  |
|-----------------------------------|------------------------|--|--|--|
| 1 Lump Sump                       |                        |  |  |  |
|                                   | <u>Prainage Outles</u> |  |  |  |
| 2<br>2                            | Each                   | Precast Concrete Headwall - For 30" Pipe             |  |  |
| 2                                 | Each                   | Precast Concrete Headwall - For 24" Pipe             |  |  |
| 595                               | Each                   | Precast Concrete Headwall - For 18" Pipe             |  |  |
| 275                               | Lin. Ft.               | 24" Dia. R.C.P. (Cl. III)                            |  |  |
|                                   | Lin. Ft.               | 18" Dia. R.C.P. (Cl. III)                            |  |  |
| 2<br>1                            | Each                   | 24" Dia. Concrete Flared End Section                 |  |  |
| =                                 | Each                   | 18" Dia. Concrete Flared End Section                 |  |  |
| 2                                 | Each                   | 30" Dia. Flap Gate (Flatback)                        |  |  |
| 2                                 | Each                   | 24" Dia. Flap Gate (Flatback)                        |  |  |
| 2<br>Field Ti                     | Each                   | 18" Dia. Flap Gate (Flatback)                        |  |  |
| <u>Field Ti</u>                   |                        | 400 9 400 5:-13 7:1- 0 41 4 5                        |  |  |
| 6                                 | Each                   | 12" & 10" Field Tile Outlet Ends                     |  |  |
| 6                                 | Each                   | 8" & 6" Field Tile Outlet Ends                       |  |  |
| 1                                 | Each                   | 4" & Smaller Field Tile Outlet Ends                  |  |  |
| 300                               | Lin. Ft.               | 12" Tile Outlet Replacement (PVC, SDR-26)            |  |  |
| 300                               | Lin. Ft.               | 10" Tile Outlet Replacement (PVC, SDR-26)            |  |  |
| 300                               | Lin. Ft.               | 8" Tile Outlet Replacement (PVC, SDR-26)             |  |  |
| 300                               | Lin. Ft.               | 6" Tile Outlet Replacement (PVC, SDR-26)             |  |  |
| 3                                 | Each                   | 12" Dia. Flap Gate (Spigotback)                      |  |  |
| 3                                 | Each                   | 10" Dia. Flap Gate (Spigotback)                      |  |  |
| 3                                 | Each                   | 8" Dia. Flap Gate (Spigotback)                       |  |  |
| 3                                 | Each                   | 6" Dia. Flap Gate (Spigotback)                       |  |  |
| 100                               | Lin. Ft.               | 12" Header Tile Relocation (Single Wall, Heavy Duty) |  |  |
| 1,000                             | Lin. Ft.               | 10" Header Tile Relocation (Single Wall, Heavy Duty) |  |  |
| 1,000                             | Lin. Ft.               | 8" Header Tile Relocation (Single Wall, Heavy Duty)  |  |  |
| 1,000                             | Lin. Ft.               | 6" Header Tile Relocation (Single Wall, Heavy Duty)  |  |  |
| 13                                | Each                   | Plain Riprap Splash Pad                              |  |  |
| 1                                 | Each                   | 4' Dia. CB/MH  |  |  |
| 4                                 | Each                   | Relocate Existing Drainage Structure                 |  |  |
|                                   |                        | (Includes Crocks and Agri-drains)                    |  |  |
| MISCEL                            | LANEOUS IT             |  |  |  |
| 1                                 | Lump Sum               | Traffic Control                                      |  |  |
|                                   |                        | /EMENTS AT STRUCTURE NO. 4 SITE                      |  |  |
|                                   | HANNEL CO              |  |  |  |
| 375                               | Lin. Ft.               | Channel Cleanout and Bank Sloping                    |  |  |
| 375                               | Lin. Ft.               | Spoil Hauling  |  |  |
| 1                                 | Lump Sum               |  |  |  |
| EROSION CONTROL DOWNSTREAM OF DAM |                        |  |  |  |
| 375                               | Lin. Ft.               | Plain Riprap Toe of Slope                            |  |  |
| 125                               | Sq. Yds.               | Heavy Riprap   |  |  |
| 500                               | Sq. Yds.               | Heavy Riprap at Dam Outlet                           |  |  |
| 510                               | Sq. Yds.               | North American Green C-350                           |  |  |

- 1 Lump Sum Seeding, Fertilizing, and Mulching
- 1 Lump Sum Cleanup and Restoration

#### **ACCESS ROAD CONSTRUCTION**

- 1 Lump Sum Access Ramp Construction (Approx. 2,900 Cu. Yds.)
- 700 Sq. Yds. Aggregate Based, 6", 22A
- 1 Lump Sum Miscellaneous Fence Work
- 450 Lin. Ft. Silt Fence

#### **MISCELLANEOUS ITEMS**

- 1 Lump Sum Over-Flow Structure (RCC Spillway) Maintenance
- 1 Lump Sum Gravel Driveway Repairs (Upstream Side of Dam)

#### **ALTERNATE BID ITEMS**

500 Sq. Yds. Articulated Concrete Block

This Notice of Letting, the plans, specifications and bid proposal shall be considered a part of the Contract. The Contract will be let in accordance with the Contract Documents now on file at Spicer Group, 230 S. Washington Ave., Saginaw, MI (Nick Czerwinski, 989-529-0256) and available to interested parties. Bids will be made and received in accordance with these documents.

Bidding Documents, including plans and specifications, may be examined or obtained at the office of Spicer Group, Inc., 230 S. Washington Avenue, Saginaw, MI 48607 beginning on Tuesday, April 30, 2019. Copies of Bidding Documents may only be obtained upon payment of a \$50.00 *non-refundable* deposit.

Digital documents will be available at no charge on the website, www.spicergroup.com.

A security deposit in the form of a cashier's check, money order, certified check or bidders bond made out to the: "Misteguay Creek Intercounty Drain Drainage District" shall be submitted with any bids. No cash will be permitted. The security deposits of all unsuccessful bidders shall be returned after the Contract is awarded.

A mandatory pre-bid conference was held at 10:00 a.m. on May 21, 2019, at the office of Spicer Group, 230 South Washington Avenue, Saginaw, Michigan. Any prospective General Contractor was required to attend this meeting in order to be eligible to submit a bid. Spicer Group, Inc. will transmit to all prospective bidders of record an Addendum as it considers necessary in response to questions arising at the conference. Oral statements may not be relied upon and will not be legally effective.

The Contract will be awarded to the lowest responsive and responsible bidder giving adequate security for the performance of the work and meeting all conditions represented in the Instructions to Bidders. The Contract completion date and the terms of payment will be announced at the time and place of letting. If no satisfactory bids are received, we reserve the right to reject any and all bids and to adjourn to a time and location as we shall announce.

### **NOTICE OF DAY OF REVIEW OF APPORTIONMENTS**

The Saginaw County Public Works Commissioner will hold a Day of Review of Apportionments on the date, time and location listed below:

**DATE:** July 9, 2019

TIME: 9:00 a.m. to 5:00 p.m.

LOCATION: 111 South Michigan Avenue, Saginaw, Michigan

QUESTIONS: 989-790-5258

The Genesee County Drain Commissioner will hold a Day of Review of Apportionments on the date, time and location listed below:

**DATE:** July 9, 2019

TIME: 9:00 a.m. to 5:00 p.m.

LOCATION: 4608 Beecher Road, Flint, Michigan

QUESTIONS: 810-732-1590

The Shiawassee County Drain Commissioner will hold a Day of Review of Apportionments on the date, time and location listed below:

**DATE:** July 9, 2019

TIME: 9:00 a.m. to 5:00 p.m.

LOCATION: 149 East Corunna Avenue, Suite 1, Corunna, Michigan

QUESTIONS: 989-743-2398

The Day of Review is an opportunity to review the tentative apportionment of benefit for each parcel and municipality within the Misteguay Creek Intercounty Drain Drainage District.

The Commissioner, engineers and/or other staff members and, in the case of Saginaw County and Shiawassee County, a special drain commissioner appointed pursuant to Section 383 of the Drain Code, will be available to assist individuals throughout the day and make revisions where necessary. There is no need to schedule an appointment for a specific time on the Day of Review. The computation of costs for the Misteguay Creek Intercounty Drain will also be available at the Day of Review. Drain assessments are collected in the same manner as property taxes and will appear on your winter tax bill. If drain assessments are being collected for more than one (1) year, you may pay the assessment in full with any interest to date at any time and avoid further interest charges. Drain assessments may be prepaid in full on or before September 6, 2019 to the appropriate Drain/Public Works Commissioner without any interest charges.

Persons with disabilities needing accommodations for effective participation in the Day of Review should contact the Drain/Public Works Commissioner of their County at the number listed above (voice) or through the Michigan Relay Center at 7-1-1 (TDD) at least 24 hours in advance of the Day of Review to request mobility, visual, hearing or other assistance.

You may appeal the Drain/Public Works Commissioner's determination of apportionments

to the Probate Court in the county in which you reside within ten (10) days of the Day of Review.

The following is a condensed description of the several tracts or parcels of lands constituting the Special Assessment District of the Misteguay Creek Intercounty Drain:

Lands situated in Sections 24-25 and 36 of James Township, Sections 30-36 of Spaulding Township, Sections 1 and 12 of St. Charles Township, Sections 1-18, 20-28 and 33-36 of Albee Township, Sections 6-7, 17-20 and 29-32 of Taymouth Township, and Sections 1-4, 9-17, 20-29 and 32-36 of Maple Grove Township in Saginaw County, Michigan. Also lands in Sections 5-7, 17-20 and 28-33 of Montrose Township, Section 20 of City of Montrose, Sections 4-7, 18-19 and 30-32 of Flushing Township, Sections 5-9, 15-23 and 25-36 of Clayton Township, and Sections 35-36 of City of Swartz Creek in Genesee County, Michigan. Also lands in Sections 1-36 of Hazelton Township, Sections 1, 11-16, 21-28 and 33-36 of New Haven Township, Sections 1-3 and 12-13 of Caledonia Township, and Sections 1-18, 20-29 and 32-36 of Venice Township in Shiawassee County, Michigan.

A more particular description will be available at the Day of Review of Apportionment. <u>If you have received this notice by first class mail you are identified on the tax rolls as owning property liable for a drain assessment.</u>

The following public corporations are to be assessed at large to pay part of the cost of the construction of improvements to the Misteguay Creek Intercounty Drain:

Genesee County and the following public corporations in Genesee County: Clayton Charter, Flushing Charter, and Montrose Charter Townships, and City of Montrose and City of Swartz Creek, and Village of Lennon.

Saginaw County and the following public corporations in Saginaw County: Albee, James, Maple Grove, Spaulding, St. Charles, and Taymouth Townships.

Shiawassee County and the following public corporations in Shiawassee County: Caledonia Charter, Hazelton, New Haven, and Venice Townships, Village of Lennon, and Village of New Lothrop.

Michigan Department of Transportation.

Dated: June 4, 2019

Michael Gregg

Michigan Department of Agriculture and

Rural Development

Smilnel R. Grey